

# MAKE AN ENTRANCE **WITH NUWAY**

**Primary barrier matting solutions**

[www.forbo-flooring.co.uk/nuway](http://www.forbo-flooring.co.uk/nuway)

creating better environments



FLOORING SYSTEMS




PRIMARY BARRIER MATTING SOLUTIONS

MAKE AN ENTRANCE WITH NUWAY

Nuway primary barrier mats are Forbo's most robust entrance flooring solution, with products suitable for environments that welcome up to 100,000 visitors per day.


With products suitable for external and internal entrances, heavy load environments and also a sustainable Bamboo option, we have a solution for every entrance requirement.



NUWAY COLLECTION AT A GLANCE

Choose the right Nuway Primary Barrier Matting for your building

To help identify which of our Nuway products is most suitable for your project, we have broken down our full collection into an easy, two page guide.



What makes Nuway Tuftiguard products so unique?

As market leader for over 40 years, Nuway Tuftiguard is a name synonymous with quality and customer satisfaction. Here we explain what makes Nuway Tuftiguard the leader of the pack.




Nuway Internal Products

There are 7 different Nuway products suitable for internal application, each offering their own unique benefits.




Nuway External Products

With 4 different Nuway products suitable for external application, there is sure to be a solution for your entrance requirements.





# CHOOSE THE RIGHT **NUWAY PRIMARY BARRIER MATTING** FOR YOUR BUILDING



This guide helps to give you an understanding of the differences between our Nuway products and where they can be used.

## FOR EXTERNAL ENTRANCES

### nuway® tuftiguard external



- For best in class exterior performance**
- **Single or double sided:** Double
  - **Guarantee:** 15 years
  - **Scraper bar:** Aluminium
  - **Available with open or closed construction:** Both
  - **Inserts:** Plain unbuffed rubber
  - **Suitable for:** Busy office, retail, healthcare or education environments

### nuway® tuftiguard heavy duty external



- For the busiest and most tested of environments**
- **Single or double sided:** Double
  - **Guarantee:** 15 years
  - **Scraper bar:** Aluminium
  - **Available with open or closed construction:** Closed
  - **Inserts:** Plain unbuffed rubber
  - **Suitable for:** Extremely high footfall and extreme load environments such as stadiums, airports or car showrooms

### nuway® grid external



- The ideal solution for heavy traffic areas where aesthetics are still important**
- **Single or double sided:** Single
  - **Guarantee:** 7 years
  - **Scraper bar:** Low lustre or black anodised aluminium
  - **Available with open or closed construction:** Closed
  - **Inserts:** Ultragrip rubber insert
  - **Suitable for:** Office, retail, healthcare and education environments or smaller entrances

### nuway® connect external



- A single sided mat with customisable inserts**
- **Single or double sided:** Single
  - **Guarantee:** 7 years
  - **Scraper bar:** Low lustre aluminium
  - **Available with open or closed construction:** Both
  - **Inserts:** Ultragrip rubber or 4-row bristle inserts individually or combined
  - **Suitable for:** Office, retail, healthcare and education environments or smaller entrances

## FOR INTERNAL ENTRANCES

### nuway® tuftiguard



- The market leading primary barrier mat for over 40 years**
- **Single or double sided:** Double
  - **Guarantee:** 15 years
  - **Scraper bar:** Aluminium
  - **Available with open or closed construction:** Both
  - **Inserts:** Available with the choice of Classic grey or Charcoal inserts
  - **Suitable for:** Busy office, retail, healthcare or education environments

### nuway® tuftiguard anodised colours



- Where design meets quality**
- **Single or double sided:** Double
  - **Guarantee:** 15 years
  - **Scraper bar:** Available with black, gold, sand and bronze scraper bars
  - **Available with open or closed construction:** Both
  - **Inserts:** Available with the choice of Classic grey or Charcoal inserts
  - **Suitable for:** Busy office, retail, healthcare or education environments

### nuway® tuftiguard bamboo




- The sustainable primary barrier matting solution**
- **Single or double sided:** Double
  - **Guarantee:** 15 years
  - **Scraper bar:** Bamboo
  - **Available with open or closed construction:** Closed
  - **Inserts:** Available with the choice of Classic grey or Charcoal inserts
  - **Suitable for:** Busy office, retail, healthcare or education environments

### nuway® tuftiguard heavy duty



- The best protection against intense footfall and heavy duty loads**
- **Single or double sided:** Double
  - **Guarantee:** 15 years
  - **Scraper bar:** Aluminium
  - **Available with open or closed construction:** Closed
  - **Inserts:** Available with the choice of Classic grey or Charcoal inserts
  - **Suitable for:** Extremely high footfall and extreme load environments such as stadiums, airports or car showrooms

### nuway® grid



- The contemporary alternative to Tuftiguard**
- **Single or double sided:** Single
  - **Guarantee:** 7 years
  - **Scraper bar:** Low lustre or black anodised aluminium
  - **Available with open or closed construction:** Closed
  - **Inserts:** Available with a choice of Burford or 5 Coral Classic and 5 Coral Brush inserts in a selection of colours
  - **Suitable for:** Office, retail, healthcare and education environments or smaller entrances

### nuway® connect



- A highly versatile, roll-up single sided mat**
- **Single or double sided:** Single
  - **Guarantee:** 7 years
  - **Scraper bar:** Low lustre aluminium
  - **Available with open or closed construction:** Both
  - **Inserts:** Available with a choice of Burford or 5 Coral Classic inserts in a selection of colours
  - **Suitable for:** Office, retail, healthcare and education environments or smaller entrances

Please note that displayed guarantees are when a product is installed by a FESSI. [www.forbo-flooring.co.uk/supplyandfit](http://www.forbo-flooring.co.uk/supplyandfit)

To find out more about our Nuway range, please visit [www.forbo-flooring.co.uk/nuway](http://www.forbo-flooring.co.uk/nuway)

To request samples please ring **0800 731 2369** or email [samples.uk@forbo.com](mailto:samples.uk@forbo.com)



# WHAT MAKES NUWAY PRODUCTS SO UNIQUE?

**Having been a market leader in the primary barrier matting solutions market for over 40 years, Nuway is a product synonymous with quality and customer satisfaction.**

With up to a 15 year guarantee when installed by a FESSI contractor, Nuway products are made to last.

**But what is it that makes Nuway products so unique and so effective?**



## SUSTAINABILITY

### Sustainable options

With sustainability being on the tip of everyone's tongue, Nuway Tuftiguard adapted to include a sustainable primary barrier matting solution in the form of Nuway Tuftiguard Bamboo.

Constructed using the same steel linkages and high quality rubber inserts as other Tuftiguard products, Nuway Tuftiguard Bamboo offers high quality performance with sustainable credentials.



## MANUFACTURING

### Handmade in the UK

All Nuway products are handmade at our UK factory in Telford, using the highest standard of materials. This means that quality is assured with any Nuway product.



### 5 or 7 Days Manufacturing

For orders 20m<sup>2</sup> or less, the majority of our Nuway products can be manufactured within 5 working days. Certain products or constructions are manufactured within 7 working days.



## CONSTRUCTION

### High tensile steel linkages

Nuway Tuftiguard products are constructed using high tensile steel linkages which provide them with outstanding construction integrity. When we talk about a product being 'made to last', these steel linkages are at the core of what allows Tuftiguard mats to remain effective, even after 15 years of heavy use.


### Double sided

All Nuway Tuftiguard mats are double sided, which means that throughout their lifecycle and as part of a regular cleaning regime, they can be removed from their matwell and turned over.

By essentially getting two mats for the price of one, it's easy to see how when cleaned correctly, Nuway Tuftiguard mats can still look as good as new after 10-15 years of use.

### Heavy Duty option

The Nuway Tuftiguard Heavy Duty range's patented design delivers load bearing capacity up to 900kg/cm<sup>2</sup> together with a level surface that makes it ideal for heavy wheeled traffic.




**DOUBLE  
DOUBLE**





## NUWAY INTERNAL PRIMARY BARRIER MATTING SOLUTIONS



Nuway Tuftguard internal

## NUWAY INTERNAL COLLECTION AT A GLANCE

### nuway® tuftguard

Tuftguard combines a classic aesthetic with leading performance by offering anodised aluminium scraper bars.



### nuway® tuftguard anodised colours

Our collection of anodised coloured aluminium scraper bars allows for unique designs to be created.



### nuway® tuftguard bamboo

Tuftguard Bamboo provides the same leading performance attributes as Tuftguard, yet with much more sustainable credentials.



### nuway® tuftguard heavy duty

The ideal matting solution for entrances with heavy duty loads and intense pedestrian and/or wheeled traffic.




### nuway® grid

Nuway Grid offers a contemporary and cost effective alternative to Nuway Tuftguard.



### nuway® grid black anodised NEW

Offering a contemporary and cost effective alternative to Nuway Tuftguard black anodised.



### nuway® connect

Nuway Connect is a very versatile, roll-up, single sided entrance system that's easy to shape on site which makes it ideal for smaller, more awkward sized entrances.



Visit the Nuway section  
on our website.



See all available  
technical downloads  
for Nuway.



	<b>Double Sided</b>	Scrapper bar options	Number of inserts available
			<b>3</b>


The market leading primary barrier mat for over 40 years.

- Tuftiguard combines a **classic aesthetic with leading performance by offering** anodised aluminium scraper bars
- Tuftiguard mats can sit in a matwell or can be used with ramp systems
- High tensile steel linkages give Nuway Tuftiguard **construction integrity**
- **Suitable for busy office, retail, healthcare or education environments**
- Tuftiguard is double sided and available in **open or closed construction** to suit the location of the mat and preferred cleaning regime
- Tuftiguard is available with **single wiper strips** or **double wiper strips** where extra moisture absorption is required or where the entrance is less than 3 metres deep
- Tuftiguard is available in a choice of depths to match most matwells

CONSIDERATIONS

BS8300-2:2018 Section 14.2 states that both natural and artificial sources of lighting should be designed to avoid creating glare, pools of bright light and strong shadows.

As with all aluminium matting systems of this type, in very brightly lit or illuminated areas, the strong contrast between light coloured aluminium scraper bars and dark wiper strips can sometimes create a strong visual contrast (and in extreme situations, a strobe effect) which should be prevented. To avoid disorientating pedestrians affected by this type of visual disturbance, consider using Bamboo or coloured anodised scraper bars with a less contrasting wiper strip.



\*When installed by a FESSI Contractor \*\*For orders 20m² or less, closed construction

NUWAY TUFTIGUARD IS AVAILABLE IN THE FOLLOWING CONSTRUCTIONS:



Open construction:

- ✓ Ideal for entrances which are susceptible to increased moisture
- ✓ Dirt and moisture will fall through to the matwell below and the mat can be removed for cleaning of both the mat and matwell intermittently



Closed construction:

- ✓ Ideal for internal applications
- ✓ Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- ✓ This is the most common construction for Nuway entrance mats

Nuway Tuftiguard is only available with an aluminium scraper bar and the following inserts:



Classic – Buffed Grey



Design – Charcoal



Plain rubber

**PLEASE NOTE:** Depending on your preference, Nuway Tuftiguard is available with single or double wiper strip inserts. This can be specified when placing your order.

Nuway Tuftiguard product specification

Product name:	Nuway Tuftiguard
Single or double sided:	Double sided
Guarantee:	10 years (as standard) / 15 years (installed by a FESSI contractor)
Scraper bar:	Anodised aluminium
Depth:	12mm or 17mm
Open or closed construction:	Both
Yarn:	Regenerated ECONYL® polyamide
Inserts:	Classic buffed grey / Design options charcoal / Plain rubber
Suitable for:	Busy office, retail, healthcare or education environments


Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.



	<b>Double Sided</b>	Scrapper bar options	Number of inserts available
			<b>3</b>

Where design meets quality.

- Our collection of anodised coloured aluminium scraper bars allows for **unique designs** to be created
- Available in **black, gold, bronze** and **sand** anodised
- After selecting the desired colour of scraper bar, you then have the following choice of inserts: 1 classic grey, 1 design colour and 1 plain rubber
- **Suitable for busy office, retail, healthcare or education environments**
- Tuftiguard anodised colours are double sided and available in **open or closed construction** to suit the location of the mat and preferred cleaning regime
- Where extra moisture absorption is required or for smaller entrances which require ultimate performance, double wiper strips can be specified
- Tuftiguard anodised colours are available in 12mm or 17mm depths



**15**  
15 YEAR  
GUARANTEE

**5**  
5 DAYS  
MANUFACTURING

**SUPPLY & FIT  
SERVICE**


Nuway tuftiguard anodised colours

\*When installed by a FESSI Contractor \*\*For orders 20m² or less, closed construction

NUWAY TUFTIGUARD ANODISED COLOURS  
IS AVAILABLE IN THE FOLLOWING CONSTRUCTIONS:



- Open construction:**
- ✓ Ideal for entrances which are susceptible to increased moisture
  - ✓ Dirt and moisture will fall through to the matwell below and the mat can be removed for cleaning of both the mat and matwell intermittently



- Closed construction:**
- ✓ Ideal for internal applications
  - ✓ Dirt and moisture will remain on the mat ready to be removed through regular cleaning
  - ✓ This is the most common construction for Nuway entrance mats

Nuway Tuftiguard anodised colours are available with the following wiper strips:



Classic – Buffed Grey



Design – Charcoal



Plain – Rubber

Below are examples of the different scraper bars with classic grey inserts:



Black anodised



Gold anodised



Sand anodised



Bronze anodised

**PLEASE NOTE:** Depending on your preference, Nuway Tuftiguard anodised colours is available with single or double wiper strip inserts. This can be specified when placing your order.

Nuway Tuftiguard product specification

Product name:	Nuway Tuftiguard anodised colours
Single or double sided:	Double sided
Guarantee:	10 years (as standard) / 15 years (installed by a FESSI contractor)
Scraper bar:	Black/Sand/Bronze/Gold Anodised aluminium
Depth:	12mm or 17mm
Open or closed construction:	Both
Yarn:	Regenerated ECONYL® polyamide
Inserts:	Classic buffed grey / Design options charcoal / Plain rubber
Suitable for:	Busy office, retail, healthcare or education environments


Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.



	Double Sided	Scraper bar options	Number of inserts available
			3

The sustainable primary barrier matting solution.

- Tuftiguard Bamboo provides **the same leading performance attributes as Tuftiguard**, with much more sustainable credentials
- Tuftiguard Bamboo uses **moso high density bamboo** which outperforms the very best hardwood species, making it **the best natural solution in heavy traffic situations**
- **Suitable for busy office, retail, healthcare or education environments**
- Moso bamboo is **the fastest growing plant in the world**
- The Moso bamboo used is sourced from sustainably managed forests and plantations and is **FSC® certified**
- **Tuftiguard Bamboo is available with the following choice of inserts:** 1 classic grey, 4 design colours and 1 plain rubber



Nuway tuftiguard bamboo

\*When installed by a FESSI Contractor \*\*For orders 20m² or less, closed construction


NUWAY TUFTIGUARD BAMBOO  
IS ONLY AVAILABLE IN A CLOSED CONSTRUCTION:




Closed construction:

- ✓ Ideal for internal applications
- ✓ Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- ✓ This is the most common construction for Nuway entrance mats


Nuway Tuftiguard Bamboo is available with the following inserts:



Classic – Buffed Grey



Design – Charcoal



Plain rubber



**PLEASE NOTE:** Depending on your preference, Nuway Tuftiguard Bamboo is available with single or double wiper strip inserts. This can be specified when placing your order.

Nuway Tuftiguard Bamboo product specification

Product name:	Nuway Tuftiguard Bamboo
Single or double sided:	Double sided
Guarantee:	5 years (as standard) / 7 years (installed by a FESSI contractor)
Scraper bar:	Moso high density bamboo
Depth:	12mm or 17mm
Open or closed construction:	Closed
Inserts:	Classic buffed grey / Design options charcoal / Plain rubber
Suitable for:	Busy office, retail, healthcare or education environments

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.



	Double Sided	Scraper bar options	Number of inserts available
			3

The best protection against intense footfall and heavy duty loads.

- The ideal matting solution for entrances with **heavy duty loads and intense pedestrian and/or wheeled traffic**
- Patented aluminium scraper bar ensures it's the **strongest type of matting in the Nuway range**, and possibly in the UK
- **Suitable for extremely high footfall and extreme load environments such as stadiums, airports or car showrooms**
- Tests have confirmed that **Tuftiguard HD can withstand static loads of up to 900kg/cm²** compared with the maximum load of 200kg/cm² for standard Tuftiguard mats
- Aluminium scraper bars have **special ridges which effectively remove dirt** while also being smooth enough for wheeled traffic to move easily

CONSIDERATIONS

BS8300-2:2018 Section 14.2 states that both natural and artificial sources of lighting should be designed to avoid creating glare, pools of bright light and strong shadows.

As with all aluminium matting systems of this type, in very brightly lit or illuminated areas, the strong contrast between light coloured aluminium scraper bars and dark wiper strips can sometimes create a strong visual contrast (and in extreme situations, a strobe effect) which should be prevented. To avoid disorientating pedestrians affected by this type of visual disturbance, consider using Bamboo or coloured anodised scraper bars with a less contrasting wiper strip.



\*When installed by a FESSI Contractor \*\*For orders 20m² or less

NUWAY TUFTIGUARD HEAVY DUTY IS ONLY AVAILABLE IN A CLOSED CONSTRUCTION:



Closed construction:

- ✓ Ideal for internal applications
- ✓ Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- ✓ This is the most common construction for Nuway entrance mats

Nuway Tuftiguard Heavy Duty is available with the following inserts:





**PLEASE NOTE:** Nuway Tuftiguard Heavy Duty is only available with double wiper strip inserts.

Nuway Tuftiguard Heavy Duty product specification

Product name:	Nuway Tuftiguard Heavy Duty
Single or double sided:	Double sided
Guarantee:	10 years (as standard) / 15 years (installed by a FESSI contractor)
Scraper bar:	Aluminium
Depth:	12mm or 17mm
Open or closed construction:	Closed
Inserts:	Classic buffed grey / Design options charcoal / Plain rubber
Suitable for:	Extremely high footfall and extreme load environments such as stadiums, airports or car showrooms

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.



	Single Sided	Scraper bar options	Number of inserts available
			11

The contemporary alternative to Nuway Tuftiguard.

- Nuway Grid offers a **contemporary and cost effective alternative** to Nuway Tuftiguard
  - Nuway Grid is an ideal solution for **heavy traffic entrance areas** where aesthetics are also important
  - **Suitable for office, retail, healthcare and education environments or smaller entrances**
- Coral carrier sections can **allow colour co-ordinated entrance areas to** be created with primary and secondary entrance matting products
  - Inserts include strips of textile inserts (for internal use only) in **11 different colourways** drawn from the Coral Classic, Coral Brush and Burford ranges

CONSIDERATIONS

BS8300-2:2018 Section 14.2 states that both natural and artificial sources of lighting should be designed to avoid creating glare, pools of bright light and strong shadows.

As with all aluminium matting systems of this type, in very brightly lit or illuminated areas, the strong contrast between light coloured aluminium scraper bars and dark wiper strips can sometimes create a strong visual contrast (and in extreme situations, a strobe effect) which should be prevented. To avoid disorientating pedestrians affected by this type of visual disturbance, consider using Bamboo or coloured anodised scraper bars with a less contrasting wiper strip.



NUWAY GRID IS ONLY AVAILABLE IN A CLOSED CONSTRUCTION:



- Closed construction:**
- ✓ Ideal for internal applications
  - ✓ Dirt and moisture will remain on the mat ready to be removed through regular cleaning
  - ✓ This is the most common construction for Nuway entrance mats

\*When installed by a FESSI Contractor \*\*For orders 20m² or less

Nuway Grid is available with the following wiper strip inserts:

Coral Classic:  
The ultimate moisture absorber



4701 | anthracite



4730 | raven black



4753 | bright red



4764 | taupe



4750 | warm black



4764 | taupe

Coral Brush: A good all-rounder  
that keeps out dirt and moisture



5714 | shark grey




5721 | hurricane grey




5730 | vulcan black



5716 | masala brown



5722 | cornflower blue




5716 | masala brown

**Ultragrip rubber:** Offers improved underfoot comfort and moisture removal.



**Burford textile:** A commonly requested insert which offers reduced performance attributes compared to Coral/Ultragrip inserts.



**PLEASE NOTE:** Ultragrip rubber can be used both internally and externally, depending on customer preference however, all other inserts are intended for internal use only.

Nuway Grid product specification

Product name:	Nuway Grid / Nuway Grid Black Anodised
Single or double sided:	Single sided
Guarantee:	5 years (as standard) / 7 years (installed by a FESSI contractor)
Scraper bar:	Low lustre aluminium / Black anodised aluminium
Depth:	12mm or 17mm
Open or closed construction:	Closed
Inserts:	Ultragrip rubber / Burford / 5 colours of Coral Classic / 5 colours of Coral Brush
Suitable for:	Office, retail, healthcare and education environments or smaller entrances

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.



	<b>Single Sided</b>	Scrapper bar options	Number of inserts available
			<b>11</b>

Offering a contemporary and cost effective alternative to Nuway Tuftiguard black anodised.


- Nuway Grid black anodised is available in the same depth and with the same inserts as Nuway Grid
- Black anodised scraper bars are on trend and in high demand from end users
- See page 20 for full technical information



\*When installed by a FESSI Contractor \*\*For orders 20m² or less




Nuway Grid Black Anodised:



**7 YEAR**  
GUARANTEE

Comes with a 7 year guarantee when installed by a FESSI Contractor



**5 DAYS**  
MANUFACTURING

Can be manufactured within 5 days for orders 20m² or less



	Single Sided	Scrapper bar options	Number of inserts available
			7

A highly versatile, roll-up, single sided mat with multiple inserts available.

- Nuway Connect is a very versatile, roll-up, single sided entrance system that's **easy to shape on site** which makes it **ideal for smaller, more awkward sized entrances**
  - A choice of **5 Coral Classic** inserts allows colour co-ordination with matching Coral Classic used in the secondary matting zone
  - **Suitable for office, retail, healthcare and education environments or smaller/awkward entrances**
- For areas where increased **dirt and moisture retention** is required, Ultragrip rubber and Bristle inserts are also available
  - All three elements, Coral, bristles and Ultragrip rubber, **can be mixed and matched** to create the precise entrance system to meet your needs



7

7 YEAR GUARANTEE


5

5 DAYS MANUFACTURING

SUPPLY & FIT SERVICE

Nuway Connect

NUWAY CONNECT IS AVAILABLE IN THE FOLLOWING CONSTRUCTIONS:



- Open construction:**
- ✓ Ideal for entrances which are susceptible to increased moisture
  - ✓ Dirt and moisture will fall through to the matwell below and the mat can be removed for cleaning of both the mat and matwell intermittently




- Closed construction:**
- ✓ Ideal for internal applications
  - ✓ Dirt and moisture will remain on the mat ready to be removed through regular cleaning
  - ✓ This is the most common construction for Nuway entrance mats

\*When installed by a FESSI Contractor \*\*For orders 20m² or less

Nuway Connect is available with the following wiper strip inserts:

Coral Classic: The ultimate moisture absorber




4701 | anthracite    4730 | raven black    4753 | bright red    4764 | taupe    4750 | warm black    4701 | anthracite

Ultragrip rubber: Offers improved underfoot comfort and moisture removal



Bristle: For removal of coarse dirt



**PLEASE NOTE:** Ultragrip rubber and Bristle can be used both internally and externally, depending on customer preference however, Coral Classic inserts are intended for internal use only.

COMBINE MULTIPLE INSERTS TO SUIT YOUR NEEDS

Nuway Connect is the **only product within our Nuway collection** where you can **combine and alternate multiple inserts**.

For example, if an entrance was prone to both increased dirt and moisture, combining Ultragrip rubber and Bristle inserts would remove dirt and absorb moisture, whilst providing a enhanced underfoot comfort.

**If you would like to combine multiple inserts in your Nuway Connect order, please specify this at the ordering stage.**



Coral Classic

- For picking up moisture and fine dirt
- For interior use only (colours are shown above)



4-row bristle

- For removal of coarse dirt
- Can be used internally
- Suitable for exterior use when alternated with Ultragrip Rubber (see next stage)



Ultragrip rubber

- Ideal for multi-directional entrances
- Proven low slip risk
- Fire rating of B<sub>f</sub>s1
- For exterior and interior use

Nuway Connect product specification

Product name:	Nuway Connect
Single or double sided:	Single sided
Guarantee:	5 years (as standard) / 7 years (installed by a FESSI contractor)
Scrapper bar:	Low lustre aluminium
Depth:	10mm / 17mm / 22mm
Open or closed construction:	Both
Inserts:	Ultragrip rubber / Bristle / 5 colours of Coral Classic
Suitable for:	Office, retail, healthcare and education environments or smaller/awkward entrances

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.



NUWAY EXTERNAL PRIMARY BARRIER  
MATTING SOLUTIONS



NUWAY EXTERNAL COLLECTION AT A GLANCE

nuway® tuftiguard external

Tuftiguard External combines a classic aesthetic with leading performance.



nuway® tuftiguard heavy duty external

The ideal matting solution for entrances with heavy duty loads and intense pedestrian and/or wheeled traffic.



nuway® grid external

Nuway Grid external offers a contemporary and cost effective alternative to Nuway Tuftiguard external.



nuway® connect external

Nuway Connect is a very versatile rollup, single sided entrance system that's easy to shape on site which makes it ideal for smaller, more awkward sized entrances.



Visit the Nuway section on our website.




See all available technical downloads for Nuway.



	<b>Double Sided</b>	Scrapper bar options	Number of inserts available
			<b>1</b>


For best in class exterior performance.

- Tuftiguard External contains Plain rubber wiper strips which provide enhanced underfoot comfort and dirt and moisture removal
- High tensile steel linkages give Tuftiguard External increased **construction integrity**
- Tuftiguard External is available in **open or closed construction** to suit the location of the mat and preferred cleaning regime
- **Suitable for busy office, retail, healthcare or education environments**
- Tuftiguard is double sided and available with **single wiper strips** or **double wiper strips** where extra moisture absorption is required or where the entrance is less than 3 metres deep
- Tuftiguard External mats can sit in a matwell or can be used with ramp systems
- **Please note:** To maintain a pristine visual appearance, some anodised coloured scraper bars may require increased cleaning when exposed to increase dirt and moisture, that is common with external installations



\*When installed by a FESSI Contractor \*\*For orders 20m² or less, closed construction

NUWAY TUFTIGUARD EXTERNAL  
IS AVAILABLE IN THE FOLLOWING CONSTRUCTIONS:



Open construction:

- ✓ Ideal for external entrances or areas which are susceptible to increased moisture
- ✓ Dirt and moisture will fall through to the matwell below and the mat can be removed for cleaning of both the mat and matwell intermittently



Closed construction:

- ✓ Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- ✓ This is the most common construction for Nuway entrance mats




Nuway Tuftiguard External product specification

Product name:	Nuway Tuftiguard external
Single or double sided:	Double sided
Guarantee:	10 years (as standard) / 15 years (installed by a FESSI contractor)
Scrapper bar:	Black/Sand/Bronze/Gold Anodised aluminium
Depth:	12mm or 17mm
Open or closed construction:	Both
Inserts:	Ultragrip rubber
Suitable for:	Busy office, retail, healthcare or education environments

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.



# nuway® tuftguard heavy duty external

	<b>Double Sided</b>	Scraper bar options	Number of inserts available
			<b>1</b>

## For the busiest and most tested of environments.

- The ideal matting solution for entrances with **heavy duty loads and intense pedestrian and/or wheeled traffic**
- Patented aluminium scraper bar ensures it's the **strongest type of matting in the Nuway range**, and possibly in the UK
- **Suitable for Extremely high footfall and extreme load environments such as stadiums, airports or car showrooms**
- Tests have confirmed that **Tuftguard HD can withstand static loads of up to 900kg/cm²** compared with the maximum load of 200kg/cm² for standard Tuftguard mats
- Aluminium scraper bars have **special ridges which effectively remove dirt** while also being smooth enough for wheeled traffic to move easily



**15**  
15 YEAR  
GUARANTEE

**5**  
5 DAYS  
MANUFACTURING

**SUPPLY & FIT  
SERVICE**

Nuway Tuftguard Heavy Duty External

\*When installed by a FESSI Contractor \*\*For orders 20m² or less, closed construction

Nuway Tuftguard Heavy Duty External

## NUWAY TUFTGUARD HEAVY DUTY EXTERNAL IS ONLY AVAILABLE IN THE FOLLOWING COMBINATION:

### Nuway Tuftguard Heavy Duty External with a double plain rubber wiper strip

- ✓ Offering ultimate performance with a traditional aesthetic.




## NUWAY TUFTGUARD HEAVY DUTY EXTERNAL IS ONLY AVAILABLE IN A CLOSED CONSTRUCTION:




### Closed construction:

- ✓ Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- ✓ This is the most common construction for Nuway entrance mats

### Construction diagrams



12mm closed



17mm closed

### Nuway Tuftguard Heavy Duty External product specification

Product name:	Nuway Tuftguard Heavy Duty External
Single or double sided:	Double sided
Guarantee:	10 years (as standard) / 15 years (installed by a FESSI contractor)
Scraper bar:	Aluminium
Open or closed construction:	Closed
Inserts:	Double plain rubber inserts
Suitable for:	Extremely high footfall and extreme load environments such as stadiums, airports or car showrooms


Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.



	<b>Single Sided</b>	Scraper bar options	Number of inserts available
			<b>1</b>

The ideal solution for heavy traffic areas where aesthetics are still important.

- Nuway Grid external offers a **contemporary and cost effective alternative** to Nuway Tuftiguard external
- Nuway Grid external is an ideal solution for **heavy traffic entrance areas** where aesthetics are also important
- **Suitable for office, retail, healthcare and education environments or smaller entrances**
- **Grid Ultragrip rubber inserts** provides a slip resistant surface, ideal for external entrances with multi directional traffic
- **Grid Ultragrip rubber** offers improved underfoot comfort and moisture removal due to its ‘pocket’ design. It also offers excellent fire rating properties




\*When installed by a FESSI Contractor \*\*For orders 20m² or less

NUWAY GRID EXTERNAL  
IS ONLY AVAILABLE IN THE FOLLOWING COMBINATION:

Nuway Grid External with an Ultragrip rubber wiper strip

- ✓ Combining a contemporary aesthetic with outstanding performance.




NUWAY GRID EXTERNAL  
IS ONLY AVAILABLE IN  
A CLOSED CONSTRUCTION:



Closed construction:

- ✓ Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- ✓ This is the most common construction for Nuway entrance mats

Construction diagrams



Nuway Grid External product specification

Product name:	Nuway Grid External
Single or double sided:	Single sided
Guarantee:	5 years (as standard) / 7 years (installed by a FESSI contractor)
Scraper bar:	Low lustre aluminium
Depth:	12mm or 17mm
Open or closed construction:	Closed
Inserts:	Ultragrip rubber
Suitable for:	Office, retail, healthcare and education environments or smaller entrances

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.



	<b>Single Sided</b>	Scrapper bar options	Number of inserts available
			<b>2</b>

**A single sided, roll up mat with customisable inserts depending on entrance requirements.**

- Nuway Connect is a very versatile rollup, single sided entrance system that's **easy to shape on site** which makes it **ideal for smaller, more awkward sized entrances**
- Available with the Ultragrip rubber and Bristle inserts which can be combined together if requested
- **Suitable for office, retail, healthcare and education environments or smaller/awkward entrances**
- Ultragrip rubber offers improved underfoot comfort and moisture removal due to its 'pocket' design. It also offers excellent fire rating properties
- Bristle inserts excel at removing coarse dirt and moisture and can be used with an open construction




\*When installed by a FESSI Contractor \*\*For orders 20m² or less, closed construction

**THE BEST SELLING**  
NUWAY CONNECT EXTERNAL COMBINATIONS ARE:


**Nuway Connect External with Ultragrip rubber insert**

- ✓ A traditional aesthetic which offers excellent underfoot comfort.




**Nuway Connect External with Bristle insert**

- ✓ For areas where enhanced dirt removal is required.



**NUWAY CONNECT EXTERNAL IS AVAILABLE IN THE FOLLOWING CONSTRUCTIONS:**



**Open construction:**

- ✓ Ideal for external entrances or areas which are susceptible to increased moisture
- ✓ Dirt and moisture will fall through to the matwell below and the mat can be removed for cleaning of both the mat and matwell intermittently



**Closed construction:**

- ✓ Dirt and moisture will remain on the mat ready to be removed through regular cleaning
- ✓ This is the most common construction for Nuway entrance mats

**See the next page for customisation options and technical information**

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.




	<b>Single Sided</b>	Scraper bar options	Number of inserts available
			<b>2</b>

Nuway Connect External is available with the following inserts:


Ultragrip rubber:

- Ideal for multi directional entrances
- Proven low slip risk
- Fire rating of B<sub>f</sub>s1
- For exterior and interior use



4-row Bristle:

- For removal of coarse dirt
- Most effective when combined with Ultragrip Rubber




COMBINE MULTIPLE INSERTS TO SUIT YOUR NEEDS

Nuway Connect is the **only product within our Nuway collection** where you can **combine and alternate multiple inserts**.

For example, if an entrance was prone to both increased dirt and moisture, combining Ultragrip rubber and Bristle inserts would remove dirt and absorb moisture whilst providing a enhanced underfoot comfort.

**If you would like to combine multiple inserts in your Nuway Connect order, please specify this at the ordering stage.**




Nuway Connect External product specification


Product name:	Nuway Connect External
Single or double sided:	Single sided
Guarantee:	5 years (as standard) / 7 years (installed by a FESSI contractor)
Scraper bar:	Low lustre aluminium
Depth:	10mm / 17mm / 22mm
Open or closed construction:	Both
Inserts:	Ultragrip rubber or Bristle
Suitable for:	Office, retail, healthcare and education environments or smaller/awkward entrances

Construction diagrams


Nuway Connect 10mm



Nuway Connect 17mm



Nuway Connect 22mm



Nuway Connect External:



Comes with a 7 year guarantee when installed by a FESSI Contractor



5 DAYS MANUFACTURING

Can be manufactured within 5 days for orders 20m<sup>2</sup> or less



**SUPPLY & FIT SERVICE**

**NEW** **nuway® SUPPLY & FIT SERVICE**

Did you know that Forbo offers a complete supply & fit service for Nuway primary barrier matting products?

We can take away the hassle of you finding a suitable installer for your project by passing your details on to one of our FESSI Contractors.

Not only will you receive the best quality installation by having our product installed by a FESSI, you will also receive an increased product guarantee!

**For more information on Nuway Supply & Fit, please scan the QR code.**



Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. Contact 0800 731 2369.





Forbo Flooring Systems is part of the Forbo Group, a global leader in flooring and movement systems, and offers a full range of flooring products for commercial and affordable housing and new build markets. High quality linoleum, vinyl, textile, flocked and entrance flooring products combine functionality, colour and design, offering total flooring solutions for any environment.

#### UK

Forbo Flooring UK Limited  
High Holborn Road  
Ripley  
Derbyshire DE5 3NT

#### London EC1 showroom

79 St John Street, Clerkenwell  
London EC1M 4NR  
Tel: 0207 553 9300

#### For commercial enquiries:

If calling from the North,  
London & South East  
Tel: 0800 0282 162  
bcs.flooring.uk@forbo.com

If calling from Scotland,  
Midlands & South West  
Tel: 0800 0935 258  
kcs.flooring.uk@forbo.com

#### Nuway enquiries:

Tel: 01773 740 688  
efs.flooring.uk@forbo.com

#### Residential enquiries:

Tel: 0800 0935 846  
krccs.flooring.uk@forbo.com  
www.forbo-flooring.co.uk

#### Sample orders:

**Tel: 0800 731 2369**  
**Fax: 0843 319 1831**  
**samples.uk@forbo.com**

#### Ireland

Forbo Ireland Ltd  
2 Deansgrange Business Park  
Blackrock  
Co Dublin  
Tel: 00353 1 2898 898  
Fax: 00353 1 2898 177  
info.ireland@forbo.com  
www.forbo-flooring.ie

#### Registered office:

Forbo Flooring UK Limited  
High Holborn Road  
Ripley  
Derbyshire DE5 3NT  
Registered in England 9200318



Manufacturing Partner



#### Find us on

